

Work Order ID 66857

Tuesday, March 01, 2011 8:04:43 AM



Page 1

Item ID: D3480-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Eyeball Adapter

Start Date: 3/1/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 3/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan:

M

Date:

3-1-03-1

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3480	Rev C

100		0.00							
	Small Fab								
Small Fab	Memo	0.00							
Small Fab	Spot weld as per dwg D3480								

(Signature)

⇒ m-l 11/03/10

110	QC11- Inspect spot weld per QSI004	0.00							
QC	Memo	0.00							
Quality Control									

SB 11/03/10

(2)

120	QC5- Inspect part completeness to step on W/O	0.00							
QC	Memo	0.00							
Quality Control									

SB 11/03/10

(2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			






NOTE: Date & initial all entries



Work Order ID 66857



Tuesday, March 01, 2011 8:04:43 AM





Page 2

Item ID: D3480-043 Accept  Setup Start 
Revision ID:
Item Name: Eyeball Adapter Stop 
Start Date: 3/1/2011 Start Qty: 2.00  Cust Item ID:
Required Date: 3/7/2011 Req'd Qty: 2.00  Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start 
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop 

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  Packaging	Identify as per dwg & Stock Location: <u>61</u>	0.00							
Packaging	Memo	0.00							
140  QC	QC21- Final Inspection - Work Order Release	0.00							
Quality Control	Memo	0.00							

11/3/10 
11/3/10 
11-03-10
(2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, March 01, 2011 8:04:49 AM

Page 1

Work Order ID: 66857

Parent Item: D3480-043

Parent Item Name: Eyeball Adapter



Start Date: 3/1/2011

Required Date: 3/7/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP rev. A 06.02.07 new issue EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3480-1 Flange		Manufactured	No			100	Each	9.0000	1	2			
-----------------------	--	--------------	----	--	--	-----	------	--------	---	---	--	--	--

Location Loc Qty Loc Code

ST064

9

28809

21

46990

8

NAS1031C3W Nutplate		Purchased	No			100	Each	31.0000	4	8			
----------------------------	--	-----------	----	--	--	-----	------	---------	---	---	--	--	--

Location Loc Qty Loc Code

ST297

31

106574

7

107139

24

SS 11/03/09

SS 11/03/09

8

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3480	REV. C SHEET 1 OF 6
DATE 08.12.19		TITLE EYEBALL ADAPTER	SCALE 1:2
A	06.02.06	NEW ISSUE	
B	06.08.29	D3480-3 0.50 was 0.40/D3480-3F 8.930 was 9.330	
C	08.12.19	D3480-3 PICTORIAL CHG PER D3480-3F (SHT 1 & 4); ADD/REV TOL (SHT 3-5); ADD MFG NOTE (SHT 4); MATL SPEC WAS MIL-S-5019	

RELEASE
09/01/32 MPALIGN WELD
SEAM OF D3480-3
AS SHOWNSPOT WELD PARTS,
TRIM D3480-3 FLUSH TO
SURFACE OF D3480-5
AS REQUIREDSHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITH NO. 46857

P/11-031

D3480-041 EYEBALL INLET ADAPTER**NOTES:**

- 1) SPOT WELD PER DART QSI 004
- 2) FINISH: NONE
- 3) IDENTIFY WITH DART P/N D3480-041 USING FINE POINT PERMANENT INK MARKER
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010

QTY -041	P/N	DESCRIPTION
X	D3480-041	EYEBALL INLET ADAPTER
1	D3480-3	TUBE
1	D3480-5	FLANGE

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PSL</i>	APPROVED <i>PSL</i>	DRAWING NO. D3480	REV. C SHEET 2 OF 6
DATE 08.12.19		TITLE EYEBALL ADAPTER	SCALE 1:1

RELEASE
9/10/30 MBW



u1066857

D3480-043 EYEBALL ADAPTER

NOTES:

- 1) SPOT WELD PER DART QSI 004
- 2) FINISH: NONE
- 3) IDENTIFY WITH DART P/N D3480-043 USING FINE POINT PERMANENT INK MARKER
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010

QTY -043	P/N	DESCRIPTION
X	D3480-043	EYEBALL ADAPTER
1	D3480-1	FLANGE
4	NAS1031C3W	NUTPLATE

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3480	REV. C SHEET 3 OF 6
DATE 08.12.19		TITLE EYEBALL ADAPTER	SCALE 1:2

RELEASED
9/6/20 MP**D3480-1F FLAT PATTERN****D3480-1 FLANGE**
(MAKE FROM D3480-1F)**NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5059 (ANNEALED) 2B FINISH $\triangle C$
OR AMS 5513/5524, 26 GAUGE SS (0.018 THICK)
(REF. DART SPEC. M304S26GA)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3480	REV. C SHEET 4 OF 6
DATE 08.12.19		TITLE EYEBALL ADAPTER	SCALE 1:2

RELEASE
09/01/30 *[Signature]*



D3480-3 TUBE



D3480-3F TUBE FLAT PATTERN

NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5059 (ANNEALED) 2B FINISH $\triangle C$
OR AMS 5513/5524, 26 GAUGE SS (0.018 THICK)
(REF. DART SPEC. M304S26GA)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3480	REV. C SHEET 5 OF 6
DATE 08.12.19		TITLE EYEBALL ADAPTER	SCALE 1:2

RELEASED
09/01/30 *[Signature]*



u/o 66857

D3480-5 EYEBALL ADAPTER FLANGE

NOTES:

- 1) MATERIAL: MAKE FROM D3480-1F
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PA</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3480	REV. C SHEET 6 OF 6
DATE 08.12.19		TITLE EYEBALL ADAPTER	SCALE 1:1

RELEASED
9/6/30 JHP



u/b 66857

D3480-7 GASKET

NOTES:

- 1) MATERIAL: RED (OR GRAY) 60 DUROMETER HI-TEMPERATURE SILICONE SHEET, 0.125" THICK (REF. DART SPEC. M-SIL60-.125)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SPOT WELD TEST RECORD

AMS-W-6858A

CLASS 'C'

TEST NO#: 94

EMPLOYEE: Mark Gregory

PART NUMBER: D 3480-043

JOB NUMBER: 6 66857

MATERIAL TYPE: 304 L

MATERIAL THICKNESS: .018

GROUP SPECIFICATION



Group 1: Aluminum & magnesium



Group 2: Iron; nickel; cobalt



Group 3: Titanium SS

TEST RESULTS

	PASS	FAIL
VISUAL:	[<u>/</u>]	[]
PENETRATION:	[<u>/</u>]	[]
PULL STRENGTH:	[<u>/</u>]	[]

PSI Reading: _____

Qualified in accordance with standard AMS-W-6858A and QSI 004 (ref: 4.3)

DATE OF TEST COUPON: 11/03/10

QUALIFIER: SS